


SHEET 1 OF 2



PLASTIC DOME TO BE MOUNTED ON CURB A MIN. 4" ABOVE ROOF PLANE (FOR GROUP R-3 OCCUPANCY EXCEPTION, SEE IBC SECTION 2405.4)

POLYCARBONATE (LEXAN 143)
DOME
(0.115" NOMINAL THICKNESS)



— #8 X 3/4" PPH SS SCREW
W/ SILICONE SEALANT
(4 TOTAL, EQ. SPACED)

10 mm X 12mm FOAM TAPE

— SHINGLES
(SUPPLIED BY OTHERS)

— MIN. 7/16" ROOF DECKING
(SUPPLIED BY OTHERS)


#8 X 2" SS PPH SCREW
1" FROM EDGE

— SS FENDER WASHER

— 1/4" BEAD BUTYL
SEALANT

— DRYWALL
(SUPPLIED BY OTHERS)

SECTION VIEW
ST14HR (SHOWN)
ST10HR (SIMILAR)

CONNECTING TUBE
(VARIES PER MODEL)

JOINT TAPE
(BOTH ENDS OF
CONNECTING TUBE)

DIFFUSER RING


— DIFFUSER



— SS FENDER WASHER

— 1/4" BEAD BUTYL
SEALANT

— DRYWALL
(SUPPLIED BY OTHERS)



11-8-21-12.8.11

Documents Prepared By: Lyndon F. Schmidt, P.E.
TEXAS P.E. #104123

DBI BUILDING CONSULTANTS, INC.

BUILDING CONSULTANTS, INC.
P.O. Box 230 Valrico FL 33595
Phone No.: 813.659.9197

TEXAS BOARD OF PROFESSIONAL ENGINEERS
CERTIFICATE OF REGISTRATION # F-11852

PRODUCT: WASCO SKYTUBE TUBULAR SKYLIGHT 10" ST²⁹ SERIES

PART OR ASSEMBLY:
SKYLIGHT DETAILS

[illegible]

DATE: 11/09/1

SCALE: N.T.S.

DWG. BY: KV

CHK. BY: LFS

DRAWING NO.:

TX-4135

SHEET 2 OF 2

© 2011 R.W. BUILDING CONSULTANTS INC.